# **Leica ULTRA** Precision utility tracing





- when it has to be **right** 



# **Leica ULTRA –** Precision locating, for utility tracing

The complexity of underground utility networks are continually increasing. So obtaining precise information on the location of buried utilities has never been more important. The protection of buried assets during excavation work demands accurate mapping and surveying of existing utilities.

The Leica ULTRA provides our most advanced precision utility tracing system. Intelligent signal processing has been integrated with unique flexible operating modes, to help save you time and increased confidence in your results. Selectable antenna and customised frequencies optimises your instrument for site specific applications, supported by our AIM system which monitors signal interference levels, recommending which mode to use for the best results.





# Ambient Interference Measurement (AIM)

When working in congested environments, external interferences can affect the effectiveness of utility tracing. To guard against interference, the Leica ULTRA incorporates advanced Ambient Interference Measurement (AIM), which analyses the surrounding area for noise and recommends the best frequencies for accurate utility tracing.



#### Offset measuring

There will always be an occasion when the utility runs close to, or underneath an obstruction. With Offset Measuring, the Leica ULTRA can locate the target line if not directly accessible from above. The function uses the available data to estimate the horizontal and vertical (depth) distance.



#### Transmitter to receiver link

Advanced communication link between the Leica ULTRA receiver and transmitter, enables you to control the transmitter directly from the receiver. Work smarter and at greater distances to help achieve best practice whilst reducing time spent walking to the transmitter.



## Unlock the power

# Configure the Leica ULTRA for site specific applications. Custom build your receiver and transmitter.

Choose from over 100 preselected frequencies, or customise your own frequency for highly specialised applications.

Automatically capture the instruments location data to ensure adherence to best practice. The data logging feature allows the user to record external GPS coordinates and download with the datafile as a KML or CSV format. Upload into GIS systems or Google Maps to confirm where, when and how the work was performed.

### LARGE CLEAR DISPLAY

- Large backlit high visibility LCD screen
- Clear display provides clear, improved and confident location and utility tracing

### **CUSTOM FREQUENCIES**

- Configure for site specific applications
- User configurable modes from 50 Hz to 200 kHz
- Choose from 100 pre-selected frequencies or customise your own frequencies

#### COMPASS

• Shows the user the direction of the utility they are locating / tracing

### **BLUETOOTH®**

• Enable wireless communications with software running on a laptop, survey field PC or other GPS enabled device

### **INCREASED TRANSMITTER POWER OUTPUT**

 Choose between 5W and 12W transmitter power outputs for superior tracing performance

## BUILT FOR THE MOST DEMANDING ENVIRONMENTS

- IP65 protection
- Fulfils toughest standards shock resistant, protected against water and dust ingress

#### SELECTABLE ANTENNA CONFIGURATION

- Configure antenna to best optimise for your job site
- Select between more range, sharper response, noise cancelling or easier sweeping

#### **DIRECTION ENABLED**

- Identifying your target utility amongst multiple parallel utilities
- Apply a special direction enabled signal from the transmitter, the receiver will display an arrow on the compass heading to guide you along the designated utility path

(ned)	Fastory Default		Load Settings Sove Set Row Dek To Del									
i p	w N Select N		De Select.W.		Fernier Corporation			Terranter Constability				
	Final error	Nese	Naldrie	Debled	ize.	Buscon	free	Direct Curvest	Owne	inturior	Bosteri Gere	ł
*		10%	18	-98			661				E	1
	40	409 tz	125	10			16					Ŀ
	- 64	64%	商	0			D		0	100	1000	
	18	2594	12	. 23						0.1		8
	- 50	SPix	N.	10			1.7					8
	100	1004	10	8			14		13		100	
	120	1204	12	5			185			100		1
	128	12044	16.	100							1000	1
	190	1504	- 12	. 56			665					
	103	16342	12	12							173	1
	180	1804	191	10			18					1
	.206	30814	16	21							111	8
	220	2204x	W.	13						1.04		1
	256	2504r	12	0						004		
	257	263Hz	10	13	10.		0	4				1
	279	27341	125	10	95		0	-1				
	280	2004	18	10								
	285	120594	18	- 63			1.5					

#### Leica Geosystems - when it has to be right.

Revolutionising the world of measurement and survey for nearly 200 years, Leica Geosystems creates complete solutions for professionals across the planet. Known for valuable products and innovative solution development, professionals in a diverse mix of industries, such as aerospace and defence, safety and security, construction, and manufacturing, trust Leica Geosystems for all their geospatial needs. With precise and accurate instruments, sophisticated software, and dependable services, Leica Geosystems delivers value every day to those shaping the future of our world.

Leica Geosystems is part of Hexagon (Nasdaq Stockholm: HEXA B; hexagon.com), a leading global provider of information technologies that drive quality and productivity improvements across geospatial and industrial enterprise applications.



lllustrations, descriptions and technical data are not binding. All rights reserved. Printed in Switzerland – Copyright Leica Geosystems AG, Heerbrugg, Switzerland, 2015. 842508en – 12.15 – INT





Leica Digicat i-Series Brochure




**Digicat xf-Series** 

Brochure



Construction Tools Catalogue



www.leica-geosystems.com

